EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6513	(370/412,413,414,415,416,417,418,422,423,424,428,429).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 22:04
L2	23	1 and(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (packetiz $3) with (output$3 or outgo$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 22:04
S1	329	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (packetiz$3) with (output$3 or outgo$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 18:37
S2	212	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) with (packetiz$3) with (output$3 or outgo$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 18:37
S3	24	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) with (packetiz$3) with (output$3 or outgo$3) with (compress$3 or scal$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 18:38
S4	1	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (assign$4 near5 unique near3 (identifi$6 or id or code or value)) same (packetiz$3) same (output $3 or outgo$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:04

S5	6	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (assign$4 near5 (identifi$6 or id or code or value)) same (packetiz$3) same (output$3 or outgo$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:05
S6	2	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (assign$4 near5 unique) same (packetiz$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:29
S7	767	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (assign$4 near5 unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:29
S8	14	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (assign$4 near5 unique) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:30
S9	298	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (unique) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:31
S10	31	(input$3 or incoming) near3 (signal or stream) with (buffer$3 or queue$3 or stor$3) same (unique) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:32
S11	329	(input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (packetiz$3) with (output$3 or outgo$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:38

S12	364	(packet with sequenc$3 with (id or identifi$6 or unique or global) with payload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:41
S13	1	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:41
S14	5891	(packet with sequenc$3 with (id or identifi$6 or unique or global))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:42
S15	39	S11 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 19:42
S16	39	plurality near3 (input$3 or incoming) with (buffer$3 or queue$3 or stor$3) same (combiner$3) with (output$3 or outgo$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 20:38
S17	243	plurality near3 (input$3 or incoming) with (buffer$3 or queue$3 or stor$3) and (combiner$3) with (output$3 or outgo$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 20:38
S18	2	S16 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 20:38

S19	112	(assign$4 or attach$4) with (unique or global) with (code or id or identifier or identification or key) with packet with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:29
S20	13	(assign$4 or attach$4) with (unique or global) with (code or id or identifier or identification or key or label or lable) with packet with (flagment or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:32
S21	3	(assign$4 or attach$4) with mac with address with (destination) with packet with (flagment or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:36
S22	3	(assign$4 or attach$4) with (mac or global or unique) with (address or id or identifier or identification or key or value) with (destination) with packet with (flagment or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:38
S23	31	(assign$4 or attach$4) with (mac or global or unique) with (address or id or identifier or identification or key or value) with packet with (flagment or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:38
S24	0	"same" near2 (mac or global or unique) near5 (address or id or identifier or identification or key or value) with packet with (flagment or segment) with "same" near2 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:43
S25	15	"same" near2 (mac or global or unique) near5 (address or id or identifier or identification or key or value) with packet with "same" near2 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/08 22:44

S26	371	"same" near5 (mac or global or unique) near3 (address or id or identifier or identification or key or value) with "same" near5 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:41
S27	205	"same" near5 (mac or global or unique) near3 (address or id or identifier or identification or key or value) with "same" near5 (destination) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:41
S28	205	"same" near5 (mac or global or unique) near3 (address or id or identifier or identification) with "same" near5 (destination) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:41
S29	205	"same" near5 (mac or global or unique) near3 (address or id or identifier) with "same" near5 (destination) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:42
S30	205	"same" near5 (mac or global or unique) near3 (address or id or identifier) with packet with "same" near5 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:43
S31	7	"same" near5 (mac or global or unique) near3 (address or id or identifier) with packet with "same" near5 (destination) with (sequenc$4 or order$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:44
S32	203	"same" near5 (mac or global) near3 (address or id or identifier) with packet with "same" near5 (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:47

S33	10	"same" near5 (mac or global) near3 (address or id or identifier) with packet with "same" near5 (destination) same (sequenc$4 or order) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 18:47
S34	171	("3891792" | "3978470" | "4197590" | "4361848" | "4381522" | "4398216" | "4484217" | "4488179" | "4517598" | "4528589" | "4528643" | "4587520" | "4605964" | "4621282" | "4633462" | "4639225" | "4688218" | "4688246" | "4694490" | "4695880" | "4697209" | "4706121" | "4712105" | "4712130" | "4724491" | "4792972" | "4805014" | "4816901" | "4829372" | "4829558" | "4829569" | "4860379" | "4876736" | "4885803" | "4920432" | "4928168" | "4947429" | "4949187" | "4959810" | "4961109" | "4975951" | "4977455" | "4995078" | "4996597" | "5001554" | "5014125" | "5015829" | "5020129" | "5027400" | "5036394" | "5036537" | "5038402" | "5046093" | "5047867" | "5049990" | "5056138" | "5057917" | "5073930" | "5075771" | "5077607" | "5078019" | "5091782" | "5093718" | "5099319" | "5103314" | "5105268" | "5130792" | "5132789" | "5132992" | "5133079" | "5144663" | "5150118" | "5151782" | "5151789" | "5152011" | "5155591" | "5166886" | "5172413" | "5182639" | "5185667" | "5202817" | "5206722" | "5206954" | "5216515" | "5221962" | "5223924" | "5231494" | "5235419" | "5237311" | "5237610" | "5247347" | "5251028" | "5253066" | "5253275" | "5253341" | "5260778" | "5270809" | "5282028" | "5283639" | "5285272" | "5289271" | "5293540" | "5293633" | "5319455" | "5319707" | "5323240" | "5327554" | "5339315" | "5341166" | "5341474" | "5343239" | "5343516" | "5345594" | "5349638" | "5351075" | "5353121" | "5355162" | "5357276" | "5365265" | "5367571" | "5375068" | "5390348" | "5396546" | "5400401" | "5404393").PN. OR ("5404505" | "5410326" | "5410344" | "5412416" | "5414426" | "5416508" | "5424770" | "5432542" | "5440632" | "5442626" | "5446919" | "5461667" | "5469206" | "5473362" | "5477263" | "5479268" | "5481294" | "5481296" | "5481542" | "5483278" | "5500794" | "5515098" | "5550863" | "5561708" | "5561709" | "5570126" | "5600364" | "5629733" | "5635989" | "5644354" | "5661516" | "5663757" | "5689663" | "5696906" | "5724091" | "5764276" | "5793414" | "5793872" | "5877801" | "5903319" | "6331877" | "D301037" | "D314383" | "D325581" | "D329238" | "D331760").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/11/10 19:58
S35	43	S34 and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 19:58

S36	9	S34 and packet same (mac or global or unique) near3 (identifier or address or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 19:59
S37	8	source with generat$4 with packet same packet with (mac or global or unique) near3 (identifier or address or identification) with sequenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:45
S38	0	source with generat$4 with packet same packet with (mac or global or unique) near3 (identifier or address or identification) with sequenc$4 with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:45
S39	8	source with generat$4 with packet same packet with (mac or global or unique) near3 (identifier or address or identification) with sequenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:46
S40	351	source with generat$4 with packet same packet with (mac or global or unique) near3 (identifier or address or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:47
S41	347	source with generat$4 with packet same packet with (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:47
S42	264	source with generat$4 near5 packet same packet with (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:47

S43	204	source near6 generat$4 near5 packet same packet with (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:48
S44	87	source near6 generat$4 near5 packet same packet near5 (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:48
S45	57	source near6 generat$4 near5 packet with packet near5 (mac or global or unique) near3 (identifier or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:48
S46	5	source near6 generat$4 near5 packet with packet near5 (mac or global or unique) near3 (identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 21:48
S47	568	pdu same sdu same (fragment$5 or segment$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:57
S48	204	pdu same sdu same (fragment$5 or segment$5) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:57
S49	2	pdu same sdu same (fragment$5 or segment$5) same packet same ((mac or global or unique) near3 (address or identifier or id or key or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:59

S50	2	pdu same sdu same (fragment$5 or segment$5) same packet same ((mac or global or unique) near5 (address or identifier or id or key or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:59
S51	0	pdu with sdu with (fragment$5 or segment$5) same packet same ((mac or global or unique) near3 (address or identifier or id or key or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:00
S52	161	pdu with sdu with (fragment$5 or segment$5) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:00
S53	105	pdu with sdu with (fragment$5 or segment$5) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:00
S54	10	pdu with sdu with (fragment$5 or segment$5) with packet with (sequenc$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:01
S55	20	pdu with sdu with (fragment$5 or segment$5) with packet same (sequenc$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:01
S56	10	S55 not S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 18:01

S57	1	("6519223").PN.	USPAT; USOCR	OR	OFF	2008/11/11 18:05
S58	2	packet with (sequenc$4) information with (position) information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:15
S59	0	(packet of frame) with (position) with pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:16
S60	7059	(packet or frame) with (position) with pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:16
S61	230	(packet or frame) with (position) with pixel with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:16
S62	1287	(packet or frame) with (position) with pixel with (window or display$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:16
S63	19	(packet) with (position) with pixel with (window or display$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:17

S64	10	(packet) with (position) with pixel with (window or display$3) and packet with sequenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:17
S65	150	(packet) with (position) near6 (window or display$3 or screen) and packet with sequenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:36
S66	14	(packet) with (position) with pixel with (window or display$3 or screen) and packet with sequenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:38
S67	4	S66 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:38
S68	26	(packet) with (position) with pixel with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:39
S69	1488	(packet or frame) with (position) with pixel with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:45
S70	43	(packet or frame) with (position) with pixel with (window or display$3 or screen) with sequenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:45

S71	39	S70 not S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:45
S72	26	(packet) with (position) with pixel with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:52
S73	15771	(position) with pixel with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:52
S74	3672	(position) with pixel with (window or display$3 or screen) with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:53
S75	2008	(packet) with size near5 (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:54
S76	14	(packet) with size with pixel near5 (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:54
S77	13	S76 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:55

S78	6790	(position$3 or locat$3) with data with pixel with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 19:59
S79	2090	video with pixel with (position or location) with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:02
S80	117	packet same pixel with (position or location) with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:02
S81	14054	indicat$4 with data with (position or location) with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:05
S82	628	field with indicat$4 with data with (position or location) with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:05
S83	29	field with pixel with indicat$4 with data with (position or location) with (window or display$3 or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:05
S84	28	S83 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:06

S85	0	pixel near5 information near5 position neart (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:12
S86	0	information near5 position neart (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:13
S87	25330	information near5 position near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:13
S88	101	packet with information near5 position near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:13
S89	18	S88 and ("370".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:14
S90	1	packet with information near5 dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:20
S91	39	packet with dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:21

S92	0	pixeel with dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:21
S93	2217	pixel with dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:21
S94	95	information with pixel with dimension near5 (window or display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:21
S95	1882	pixel with dimension near5 (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22
S96	12	pixel with dimension with output (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22
S97	117	pixel with dimension with output with (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22
S98	68	pixel with dimension with output near8 (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22

S99	0	pixel with dimension with output near8 (window or display) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:22
S100	61	pixel with dimension with output near5 (window or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:23
S101	16	pixel with dimension with output near5 (window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:23
S102	1763	(indicat$4 or modify$4 or modification or specify$3) with (width and height) with (image or displa$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:29
S103	132117	("370".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:32
S104	728	packet with sequenc$4 information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:32
S105	290	S103 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:32

S106	3069	(packet$4) with (position or dimension or width or height or size) near5 (image or display$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:37
S107	1098	S106 and ("370".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:37
S108	59	S104 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:38
S109	0	packet with sequenc$4 information with reasembl$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:43
S110	28	packet with sequenc$4 information with reassembl$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 20:43
S111	0	(packet$4) near5 field neart (position or dimension or width or height or size) near5 (image or display$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:10
S112	104	(packet$4) near5 field near5 (position or dimension or width or height or size) near5 (image or display$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:10

S113	0	(packet$4) near5 field near5 (position or dimension or width or height or size) near5 (image or display$3 or window) same pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:11
S114	19	(packet$4) near5 field near5 (position or dimension or width or height) near5 (image or display$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:22
S115	482	(packet$4) near5 (position or dimension or width or height) near5 (image or display$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:24
S116	282	(packet$4) with information with (position or dimension or width or height) near5 (image or display$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:24
S117	43	(packet$4) with information with (dimension or width or height) near5 (image or display$3 or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 21:24
S118	7032	((signal or video) with scal$4).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 19:22
S119	323	video scaler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 19:23

S120	21	video scaler.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 19:23
S121	2327	(receiv$4 or reception) with (packet or stream or signal) with (buffer$3 or queu$4) near5 packet near5 (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:44
S122	2020	(receiv$4 or reception) near6 (packet or stream or signal) with (buffer$3 or queu$4) near5 packet near5 (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:44
S123	0	(receiv$4 or reception) near6 (packet or stream or signal) with (buffer$3 or queu$4) near5 packet near5 (according$4) near5 (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:45
S124	6	(receiv$4 or reception) near6 (packet or stream or signal) with (buffer$3 or queu$4) near5 packet with (according$4) near5 (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:45
S125	1371	(receiv$4 or reception) near6 (packet or stream or signal) with (transmi$5 or output) (buffer$3 or queu$4) with (mac or address or destination or global or unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:47
S126	412	(receiv$4 or reception) near6 (packet or stream or signal) with (transmi$5 or output) (buffer$3 or queu$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:47

S127	14	(receiv$4 or reception) near6 (packet or stream or signal) with (extract$4 or separat$4) with packet with (transmi$5 or output) (buffer$3 or queu$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:48
S128	2	(receiv$4 or reception) near6 (packet or stream or signal) with (extract$4 or separat$4) with packet with (correspond$4) near5 (buffer$3 or queu$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:51
S129	2	(receiv$4 or reception) near6 (packet or stream or signal) with stor$4 packet with (correspond$4) near5 (buffer$3 or queu$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:54
S130	11	(receiv$4 or reception) near6 (packet or stream or signal) same stor$4 packet with (correspond$4) with (buffer$3 or queu$4) with (mac or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 16:56
S131	195	(receiv$4 or reception) with (packet or stream or signal) same (stor$4 or forward$4) with packet with (transmi$5 or output) (buffer$3 or queu$4) with (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 17:44
S132	195	(receiv$4 or reception) with (packet or stream or signal) same (stor$4 or forward$4) with packet with (transmi$5 or output) (buffer$3 or queu$4) with (destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/13 17:46
S133	0	video near2 compression with horizontal line filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:15

S134	22	horizontal line filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:15
S135	1	compress$4 with horizontal line filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:16
S136	265	video near2 compression with horizontal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:16
S137	172	video near2 compression with horizontal with vertical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:16
S138	1	S137 and ("370".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/15 18:19

11/15/2008 10:05:22 PM
C:\ Documents and Settings\ bzhu\ My Documents\ EAST\ Workspaces\ 10816841.wsp